

# Notice of transfer with introductory note

## The Environmental Permitting (England & Wales) Regulations 2010

---

Highfield Environmental Limited

ICI No 3 (Teesport) Landfill Site  
Grangetown  
Middlesbrough  
TS6 6UG

### **Transfer application number**

EPR/DP3331DJ/T001

### **Permit number**

EPR/DP3331DJ

# ICI No 3 (Teesport) Landfill Site

## Permit number EPR/DP3331DJ

### Introductory note

#### **This introductory note does not form a part of the notice.**

The following notice gives notice of the transfer of an environmental permit to a new operator (the transferee).

The permit transfer is the result of a change in operational responsibility from Green North East Trading Bidco Limited to Highfield Environmental Limited. The scope of operation and staff structure at the installation will continue as before.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application EPR/BV1984IH/A001	Duly made 09/06/03	
Application EPR/BV1917IT/A001	Duly made 09/06/03	
Additional information requested	02/12/03	Responses received 10/02/04, 11/02/04 and 12/02/04.
Additional information requested	01/04/04	Responses received 07/04/04, 16/04/04 and 19/04/04.
Additional information requested	21/04/04	Response received 23/04/04
Additional information requested	30/07/04	Response received 05/08/04
Permit determined EPR/BV1917IT	06/08/04	
Application received EPR/BV1917IT/V002	Duly made 02/02/05	
Variation issued EPR/BV1917IT/V002	29/06/05	
Application received EPR/BV1917IT/V003	Duly Made 15/08/05	
Application for variation withdrawn.	31/10/05	
Application received EPR/BV1917IT/V004	Duly Made 30/05/07	
Additional information requested	03/08/07	Response received 30/08/07
Variation issued EPR/BV1917IT/V004	17/01/08	

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Variation issued EPR/BV1917IT/V005	14/03/08	
Application received EPR/BV1917IT/V006	Duly Made 23/10/09	
Application for variation withdrawn.	11/10/10	
Application received EPR/BV1917IT/V007	Duly Made 16/03/11	Variation to change financial provision mechanism
Variation issued EPR/BV1917IT/V007	08/09/11	
Application received EPR/BV1917IT/V008	Duly Made 14/01/14	Change in company name only.
Variation issued EPR/BV1917IT/V008	07/02/14	Varied permit issued to North Tees Waste Management Limited.
Environment Agency Landfill Sector Review 2013 Permit reviewed Variation determined EPR/BV1917IT/V009 Permit EPR/BV1917IT	30/01/15	Varied and consolidated permit issued in modern condition format
Application received EPR/BP3730VD/T001	Duly Made 17/02/14	Full transfer of Permit.
Transfer determined EPR/BP3730VD	17/06/16	Full transfer of permit to Green North East Trading Bidco Ltd.
Application EPR/DP3331DJ/T001 (full transfer of permit EPR/ BP3730VD)	Duly made 21/11/16	Application to transfer the permit in full to Highfield Environmental Limited.
Transfer determined EPR/DP3331DJ	27/01/17	Full transfer of permit complete.

End of introductory note.

# Notice of transfer

## The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 21 of the Environmental Permitting (England and Wales) Regulations 2010 transfers

### Permit number

EPR/BP3730VD

to

**Highfield Environmental Limited** (“the operator”)

whose registered office is

**C/O Hackwood Secretaries Limited**

**One Silk Street**

**London**

**EC2Y 8HQ**

company registration number 10438194

to operate a regulated facility at

**ICI No 3 (Teesport) Landfill Site**

**Grangetown**

**Middlesbrough**

**TS6 6UG**

from **Green North East Trading Bidco Limited**

to the extent set out in the schedules.

The notice shall take effect from 27/01/2017

**The number of the new permit granted to Highfield Environmental Limited is**

**EPR/DP3331DJ**

Name	Date
J Linton	27/01/2017

Authorised on behalf of the Environment Agency

## **Schedule 1 – conditions to be deleted**

None

## **Schedule 2 – conditions to be amended**

The following conditions are amended as a result of the application made by the operator

- 1.3.1 The financial provision for meeting the obligations under this permit set out in the deed of trust entered into between (1) North Tees Waste Management Limited (company number 04765743) (2) Mark Anthony Lister and Nicola Tracey Edgecombe (as trustees of the ICI No 3 Teesport Landfill Trust 2011) and (3) the Environment Agency, dated 8th September 2011 and as varied by the supplemental deed entered into between (1) North Tees Waste Management Limited (2) the operator (3) Mark Anthony Lister and Roger John Bennett (as trustees of the ICI No 3 Teesport Landfill Trust 2011) and (4) the Environment Agency, dated 17th June 2016, and as varied by the second supplemental deed entered into between (1) Green North East Trading BidCo Limited (the operator) (2) the new operator (Highfield Environmental Limited (company number 10438194)) (3) Mark Anthony Lister and Roger John Bennett (as trustees of the ICI No 3 Teesport Landfill Trust 2011) and (4) the Environment Agency, dated 27/01/2017, as may be varied by deed from time to time, shall be maintained by the operator throughout the subsistence of this permit. The operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.3.2 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
  - (b) the costs of the financial provision required by condition 1.3.1; and
  - (c) the estimated costs for the closure and aftercare of the landfill.
- 1.3.3 The operator shall report in writing to the Environment Agency as to the performance of the investments of the ICI No 3 Teesport Landfill Trust 2011 in the period to 31 December each year.

## **Schedule 3 – conditions to be added**

None

To The Company Director and/or Secretary  
 Green North East Trading Bidco Limited  
 Wynyard Park House  
 Wynyard Avenue  
 Billingham  
 TS22 5TB

Date: 23 June 2016

Dear Sir/Madam

**Transfer of permit is complete**

**Permit reference: EPR/BP3730VD/T001**

**Operator name: Green North East Trading Bidco Limited**

**Facility name: ICI No 3 (Teesport) Landfill**

Our determination of your application for a full transfer is complete. We are satisfied that you will be the person who will operate the facility and you will comply with the requirements of the permit. The transfer takes effect from 17 June 2016. I enclose a notice showing the transfer details. Keep this in a safe place with your other permit records.

This letter contains web links to other documents. If you are not able to access these phone our Customer Contact Centre for help.

The environmental permit should have been passed to you during the handover of the property or business. If you do not have a copy of the permit you must contact a local officer. Telephone our Customer Contact Centre on 03708 506 506 and they will put you in touch with an area officer. The area officer can also help you with any other questions you have about the permit.

Please look at the table below and note any of the things that apply to your permit.

If...	then..
you plan to keep your records at a site other than where the activity takes place	you need to let us know within 20 working days of receiving this letter.
your permit includes pre-operational or improvement conditions	check the deadlines for completing measures and make sure you carry them out by the times stated
you are carrying out a waste operation or activity and need to submit quarterly waste returns on waste movements  <b>Note:</b> This does not apply to permits that only have stand alone water discharge or groundwater activities.	you can get the forms you need from our website <a href="https://www.gov.uk/government/collections/national-operator-waste-returns">https://www.gov.uk/government/collections/national-operator-waste-returns</a>  When you complete your return use the waste returns reference above.

*Table continues on next page.*

If...	then..
your permit includes an installation	we enclose a legal notice and information about reporting to the Pollution Inventory.
you need to submit other returns	send these to your area office. Speak to your area officer to check local arrangements.

Read the following guides to find out more about complying with your permit:

[www.gov.uk/guidance/develop-a-management-system-environmental-permits](http://www.gov.uk/guidance/develop-a-management-system-environmental-permits)

[www.gov.uk/guidance/control-and-monitor-emissions-for-your-environmental-permit](http://www.gov.uk/guidance/control-and-monitor-emissions-for-your-environmental-permit)

[www.gov.uk/guidance/legal-operator-and-competence-requirements-environmental-permits](http://www.gov.uk/guidance/legal-operator-and-competence-requirements-environmental-permits)

A local regulatory officer will visit you to assess compliance with your permit conditions.

There is an annual subsistence charge for your permit unless:

- your permit is only for discharges of sewage effluent where the maximum daily volume of discharge permitted is five cubic metres or less (this does not apply to trade effluent or any other type of discharge)
- or your permit is only for mobile plant, instead we will charge for each deployment.

The annual charge is due on demand in the year that we issue the permit and then on 1 April each year. The charge starts from the date we authorise the permit, unless there is a condition relating to a standalone water discharge which states a later start date for the discharge. In that case we will charge for the discharge from the start date. If you need to know more about the subsistence charge please look at the charging guidance on our website at

<https://www.gov.uk/government/publications/environmental-permitting-ep-charges-scheme>

If you have any questions about this permit please phone our Customer Contact Centre on 03708 506 506. They will put you in touch with a local area officer.

Yours Faithfully

Nisbat Basharat

Permitting Support Advisor



## **Notice of transfer with introductory note**

**The Environmental Permitting (England & Wales) Regulations 2010**

---

Green North East Trading Bidco Limited

ICI No 3 (Teesport) Landfill  
Grangetown  
Middlesbrough  
TS6 6UG

**Transfer application number**

EPR/BP3730VD/T001

**Permit number**

EPR/BP3730VD



# **ICI No 3 (Teesport) Landfill**

## **Permit number EPR/BP3730VD**

### **Introductory note**

#### **This introductory note does not form a part of the notice.**

The following notice gives notice of the transfer of an environmental permit to a new operator (the transferee).

Essentially all Senior Management and Technical Staff from both Head Office and the Site are transferring to the new Company. All operational procedures and systems are being maintained as is the Environmental Management System which is audited under the ISO 14001 regime.

Any changes made as a result of the transfer are set out in the schedules.

The status log of a permit sets out the permitting history, including any changes to the permit reference number.

<b>Status log of the permit</b>		
<b>Description</b>	<b>Date</b>	<b>Comments</b>
Application EPR/BV1917IT/A001	Duly made 09/06/03	
Additional information requested	02/12/03	Responses received 10/02/04, 11/02/04 and 12/02/04.
Additional information requested	01/04/04	Responses received 07/04/04, 16/04/04 and 19/04/04.
Additional information requested	21/04/04	Response received 23/04/04
Additional information requested	30/07/04	Response received 05/08/04
Permit determined EPR/BV1917IT	06/08/04	
Application received EPR/BV1917IT/V002	Duly made 02/02/05	
Variation issued EPR/BV1917IT/V002	29/06/05	
Application received EPR/BV1917IT/V003	Duly Made 15/08/05	
Application for variation withdrawn.	31/10/05	
Application received EPR/BV1917IT/V004	Duly Made 30/05/07	
Additional information requested	03/08/07	Response received 30/08/07
Variation issued EPR/BV1917IT/V004	17/01/08	
Variation issued EPR/BV1917IT/V005	14/03/08	
Application received EPR/BV1917IT/V006	Duly Made 23/10/09	
Application for variation withdrawn.	11/10/10	
Application received EPR/BV1917IT/V007	Duly Made 16/03/11	Variation to change financial provision mechanism
Variation issued EPR/BV1917IT/V007	08/09/11	
Application received EPR/BV1917IT/V008	Duly Made 14/01/14	Change in company name only.
Variation issued EPR/BV1917IT/V008	07/02/14	Varied permit issued to North Tees Waste Management Limited.
Environment Agency Landfill Sector Review 2013 Permit reviewed Variation determined EPR/BV1917IT/V009 Permit EPR/BV1917IT	30/01/15	Varied and consolidated permit issued in modern condition format

Application received EPR/BP3730VD/T001	Duly Made 17/02/14	Full transfer of Permit.
Transfer determined EPR/BP3730VD	17/06/16	Full transfer of permit to Green North East Trading Bidco Ltd.

**End of introductory note**

## Notice of transfer

### The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 21 of the Environmental Permitting (England and Wales) Regulations 2010 transfers

#### Permit number

**EPR/BV1917IT**

to

**Green North East Trading Bidco Limited** ("the operator")

whose registered office is

**Wynyard Park House  
Wynyard Avenue  
Billingham  
TS22 5TB**

company registration number 08772194

to operate a regulated facility at

**ICI No 3 (Teesport) Landfill  
Grangetown  
Middlesbrough  
TS6 6UG**

from **North Tees Waste Management Limited**

to the extent set out in the schedules.

The notice shall take effect from 17/06/2016

**The number of the new permit granted to Green North East Trading Bidco Limited is  
EPR/BP3730VD**

Name	Date
Derek Franklin	17/06/2016

Authorised on behalf of the Environment Agency

### **Schedule 1 – conditions to be deleted**

None.

### **Schedule 2 – conditions to be amended**

The following conditions are amended as detailed, as a result of the application made by the operator.

- 1.2.1 The financial provision for meeting the obligations under this permit set out in the deed of trust entered into between (1) North Tees Waste Management Limited (company number 04765743) (2) Mark Anthony Lister and Nicola Tracey Edgecombe (as trustees of the ICI No 3 Teesport Landfill Trust 2011) and (3) the Environment Agency, dated 8<sup>th</sup> September 2011 and as varied by the supplemental deed entered into between (1) North Tees Waste Management Limited (2) the operator (3) Mark Anthony Lister and Roger John Bennett (as trustees of the ICI No 3 Teesport Landfill Trust 2011) and (4) the Environment Agency, dated 17/06/2016, as may be varied by deed from time to time, shall be maintained by the operator throughout the subsistence of this permit. The operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.2.2 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
  - (b) the costs of the financial provision required by condition 1.2.1; and
  - (c) the estimated costs for the closure and aftercare of the landfill.
- 1.2.3 The operator shall report in writing to the Environment Agency as to the performance of the investments of the ICI No 3 Teesport Landfill Trust 2011 in the period to 31 December each year.

### **Schedule 3 – conditions to be added**

None.

# Notice of variation and consolidation with introductory note

The Environmental Permitting (England & Wales) Regulations 2010

---

North Tees Waste Management Limited

ICI No 3 (Teesport) Landfill  
Grangetown  
Middlesbrough  
TS6 6UG

Variation application number  
EPR/BV1917IT/V009

Permit number  
EPR/BV1917IT

# ICI No 3 (Teesport) Landfill

## Permit number EPR/BV1917IT

### Introductory note

**This introductory note does not form a part of the notice.**

The following gives notice of the variation and consolidation of your environmental permit. We have issued this variation to consolidate the original permit and subsequent variations and to update some of the conditions following a statutory review of permits in the landfill sector. We have also converted the permit into the current EPR permit format using modern conditions.

This Environment Agency has a duty, under the Environmental Permitting (England and Wales) Regulations 2010, regulation 34(1), to periodically review permits. As a result of that review we have identified a number of necessary changes we must make to your permit to reflect current legislation and best practice. These changes principally relate to:

- The addition of a standard condition for landfill gas management at landfills;
- A change to the hydrogeological risk assessment condition so that reviews are undertaken every 6 years rather than every 4 years;
- Standard leachate and groundwater quality monitoring tables (schedule 3); and
- A standard reporting table (schedule 4).

Schedule 1 to this notice summarises the changes we have made to this permit.

The status log sets out the permitting history, including any changes to the permit reference number.

#### Status log of the permit

Description	Date	Comments
Application received PAS ref: BV1917IT (EPR/BV1917IT/A001)	Received 09/06/2003	Application for hazardous waste landfill
Permit Determined EPR/BV1917IT	06/08/2004	
Variation application PAS ref: FP3035SW (EPR/BV1917IT/V002)	02/02/2005	
Variation determined EPR/BV1917IT/V002	29/06/2005	
Variation application	15/08/2005	
Variation application withdrawn PAS ref:	31/10/2005	

**Status log of the permit**

GP3837SN EPR/BV1917IT/V003		
Variation application EPR/BV1917IT/V004 (PAS ref: SP3032US)	30/05/2007	
Variation determined EPR/BV1917IT/V004	17/01/2008	
Environment Agency Variation Notice issued EPR/BV1917IT/V005 (PAS ref: CP3732LE)	14/03/2008	
Variation application EPR/BV1917IT/V006 (PAS ref: PP3336KL)	23/10/2009	
Variation application withdrawn EPR/BV1917IT/V006 (PAS ref: PP3336KL)	11/10/2010	
Variation application EPR/BV1917IT/V007	16/03/2011	
Variation determined EPR/BV1917IT/V007	08/09/2011	
Variation Application EPR/BV1917IT/V008	14/01/2014	Notified of change of company name
Variation determined EPR/BV1917IT/V008	07/02/2014	Varied Permit issued to North Tees Waste Management Limited.
Environment Agency Landfill Sector Review 2013 Permit reviewed Variation determined EPR/BV1917IT/V009 Permit EPR/BV1917IT	30/01/2015	Varied and consolidated permit issued in modern condition format

End of introductory note



## Notice of variation and consolidation

The Environmental Permitting (England and Wales) Regulations 2010

The Environment Agency in exercise of its powers under regulation 20 of the Environmental Permitting (England and Wales) Regulations 2010 varies and consolidates

**permit number**

**EPR/BV1917IT**

**issued to**

**North Tees Waste Management Limited** (“the operator”)

whose registered office is

**The Cube**

**Barrack Road**

**Newcastle Upon Tyne**

**Tyne and Wear**

**NE4 6DB**

company registration number **4765743**

to operate a regulated facility at

**ICI No 3 (Teesport) Landfill**

**Grangetown**

**Middlesbrough**

**TS6 6UG**

to the extent set out in the schedules.

The notice shall take effect from 30/01/2015

Name	Date
<b>Anne Nightingale</b>	<b>30/01/2015</b>

Authorised on behalf of the Environment Agency

## Schedule 1

All conditions have been varied by the consolidated permit as a result of an Environment Agency initiated variation. The following table summarises the latest changes to the landfill permit template, however your permit may contain more changes than this where your permit has not been varied to recent template conditions.

Condition	Description of change
1.5	Generic condition to reflect the requirements of the Waste Framework Directive.
2.6.1(a)	Added reference to a specific table to clarify what wastes are permitted by which permitted activity.
2.7.1(b)	For landfills for hazardous waste - added reference to inert waste to allow covering of hazardous waste with inert waste, where necessary.
2.7.2	Added to separately identify the waste types and quantities that can be accepted for restoration.
2.10	Revised gas management condition imposed for all landfill sites.
3.1.1	Generic condition imposed on all activities to simplify sub-conditions
3.1.3 to 3.1.4	Revised conditions to reflect the terminology used by the Groundwater Directive for 'hazardous substances' and to require hydrogeological risk assessment reviews are submitted every 6 years rather than every 4 years.
	Sub-condition that referred to emission of 'non-hazardous pollutants' deleted. Such emissions are regulated by condition 3.2.
	Two sub-conditions that referred to limits in specific tables in schedule 3 deleted as they are now covered by 3.1.1.
3.6	Revised generic pests condition imposed on all activities.
4.2.2	Amended to ensure that information on 'annual production/ treatment' (Schedule 4, Table S4.2) is provided in February each year where annual reports may be submitted at other times of the year.
4.2.2(a)	Text expanded to clarify the details we require in an annual report.
4.2.2(h)	New condition requiring annual submission of a plan of monitoring and extraction locations with reference to monitoring tables in schedule 3
4.3.1	Generic notifications condition added.
<b>Schedules</b>	
Table S1.1	Amended description of the landfill activity to clarify that this includes restoration. Activity references amended to reflect changes introduced by Industrial Emissions Directive (2010/75/EU).
Table S1.5	Amended to clarify that restoration is a separate part of the activity unrelated to landfill cover.
Schedule 2	Standard list of wastes added.
Schedule 3	Monitoring and compliance tables have been re-ordered so that those with compliance limits appear first. Standard monitoring frequency and parameters have been included for certain routine monitoring requirements
Table S3.5	Specific requirements for monitoring asbestos fibres added, where necessary.
Table S4.1	Amended to only require regular reports of information that relate to compliance limits.
Table S4.3	Amended to include natural gas as an energy source for consistency with other sectors.
Schedule 6	Definitions added to clarify meaning of: <ul style="list-style-type: none"> <li>• Inert waste</li> </ul>

	<ul style="list-style-type: none"><li>• Exceeded</li><li>• Hazardous substance</li><li>• Medicinal product</li><li>• Previous year</li><li>• Waste acceptance criteria</li><li>• Waste acceptance procedure</li></ul>
--	---

**Schedule 2 – consolidated permit**

Consolidated permit issued as a separate document.

# Permit

The Environmental Permitting (England and Wales) Regulations 2010

**Permit number**  
**EPR/BV1917IT**

This is the consolidated permit referred to in the variation and consolidation notice for Environment Agency initiated variation EPR/BV1917IT/V009 authorising,

**North Tees Waste Management Limited** (“the operator”),

whose registered office is

**The Cube**  
**Barrack Road**  
**Newcastle Upon Tyne**  
**Tyne and Wear**  
**NE4 6DB**

company registration number **4765743**

to operate an installation at

**ICI No 3 (Teesport) Landfill**  
**Grangetown**  
**Middlesbrough**  
**TS6 6UG**

to the extent authorised by and subject to the conditions of this permit.

Name	Date
<b>Anne Nightingale</b>	<b>30/01/2015</b>

Authorised on behalf of the Environment Agency

# 1. Management

## 1.1 General management

- 1.1.1 The operator shall manage and operate the activities:
- (a) in accordance with a written management system that identifies and minimises risks of pollution, including those arising from operations, maintenance, accidents, incidents, non-conformances, closure and those drawn to the attention of the operator as a result of complaints; and
  - (b) using sufficient competent persons and resources.
- 1.1.2 Records demonstrating compliance with condition 1.1.1 shall be maintained.
- 1.1.3 Any person having duties that are or may be affected by the matters set out in this permit shall have convenient access to a copy of it kept at or near the place where those duties are carried out.
- 1.1.4 The operator shall comply with the requirements of an approved competence scheme.

## 1.2 Finance

- 1.2.1 The financial provision for meeting the obligations under this permit set out in the deed of trust entered into between (1) the Operator, (2) Mark Anthony Lister and Nicola Tracey Edgcombe and (3) the Environment Agency dated 8<sup>th</sup> September 2011 shall be maintained by the operator throughout the subsistence of this permit and the operator shall produce evidence of such provision whenever required by the Environment Agency.
- 1.2.2 The operator shall ensure that the charges it makes for the disposal of waste in the landfill cover all of the following:
- (a) the costs of setting up and operating the landfill;
  - (b) the costs of the financial provision required by condition 1.2.1; and
  - (c) the estimated costs for the closure and aftercare of the landfill.
- 1.2.3 The Operator shall report in writing to the Environment Agency as to the performance of the trust fund in the period to 31 December each year.

## 1.3 Energy efficiency

- 1.3.1 The operator shall:
- (a) take appropriate measures to ensure that energy is used efficiently in the activities;
  - (b) Review and record at least every four years whether there are suitable opportunities to improve the energy efficiency of the activities; and
  - (c) Implement any appropriate measures identified by a review.

## **1.4 Efficient use of raw materials**

1.4.1 The operator shall:

- (a) take appropriate measures to ensure that raw materials and water are used efficiently in the activities;
- (b) maintain records of raw materials and water used in the activities;
- (c) review and record at least every four years whether there are suitable alternative materials that could reduce environmental impact or opportunities to improve the efficiency of raw material and water use; and
- (d) take any further appropriate measures identified by a review.

## **1.5 Avoidance, recovery and disposal of wastes produced by the activities**

1.5.1 The operator shall:

- (a) take appropriate measures to ensure that waste produced by the activities is avoided or reduced, or where waste is produced it is recovered wherever practicable or otherwise disposed of in a manner which minimises its impact on the environment;
- (b) review and record at least every four years whether changes to those measures should be made; and
- (c) take any further appropriate measures identified by a review.

# **2 Operations**

## **2.1 Permitted activities**

2.1.1 The operator is only authorised to carry out the activities specified in schedule 1 table S1.1 (the "activities").

## **2.2 The site**

2.2.1 The activities shall not extend beyond the site, being the land shown edged in purple and shaded red on the site plan at schedule 7 to this permit.

## **2.3 Operating techniques**

2.3.1 (a) The activities shall, subject to the conditions of this permit, be operated using the techniques and in the manner described in the documentation specified in schedule 1, table S1.2, unless otherwise agreed in writing by the Environment Agency.

- (b) If notified by the Environment Agency that the activities are giving rise to pollution, the operator shall submit to the Environment Agency for approval within the period specified, a revision of any plan or other documentation ('plan') specified in schedule 1, table S1.2 or otherwise required under this permit, which identifies and minimises the risks of pollution relevant to that plan and shall implement the approved revised plan in place of the original from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## 2.4 Improvement programme

- 2.4.1 The operator shall complete the improvements specified in schedule 1, table S1.3 by the date specified in that table unless otherwise agreed in writing by the Environment Agency.
- 2.4.2 Except in the case of an improvement which consists only of a submission to the Environment Agency, the operator shall notify the Environment Agency within 14 days of completion of each improvement.

## 2.5 Pre-operational conditions

- 2.5.2 The operations specified in schedule 1 table S1.4 shall not commence until the measures specified in that table have been completed.

## 2.6 Landfill Engineering

- 2.6.1 No construction of any new cell of the landfill shall commence until the operator has submitted construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.2 Where the operator proposes to construct any new cell other than the first cell, but proposes no change from the design of the most recently approved cell which could have any impact on the performance of any element of the design, no construction of the new cell shall commence until the operator has submitted a cell layout drawing and the Environment Agency has confirmed that it is satisfied with the cell layout drawing.
- 2.6.3 The construction of a new cell shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or
  - (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.4 No disposal of waste shall take place in a new cell until the operator has submitted a CQA Validation Report and the Environment Agency has confirmed that it is satisfied with the CQA Validation Report.
- 2.6.5 No construction of landfill infrastructure shall commence until the operator has submitted relevant construction proposals or a written request to use previous construction proposals and the Environment Agency has confirmed that it is satisfied with the construction proposals.
- 2.6.6 The construction of the landfill infrastructure shall take place only in accordance with the approved construction proposals unless:
- (a) any change to the approved construction proposals would have no impact on the performance of any element of the design; or

- (b) a change has otherwise been agreed in writing by the Environment Agency.
- 2.6.7 The operator shall submit a CQA Validation Report as soon as practicable following the construction of the relevant landfill infrastructure.
- 2.6.8 Where pollution controls are immediately necessary to prevent an incident or accident, then conditions 2.6.5 and 2.6.6 do not apply and the relevant landfill infrastructure may be constructed, provided that the construction proposals are submitted to the Environment Agency as soon as practicable.
- 2.6.9 For the purposes of conditions 2.6.1, 2.6.2, 2.6.4 and 2.6.5, the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the relevant construction proposals or CQA Validation Report, either:
- (a) confirmed whether or not it is satisfied; or
  - (b) informed the operator that it requires further information.
- 2.6.10 Where the Environment Agency has required further information under condition 2.6.9(b), the Environment Agency shall be deemed to be satisfied where it has not, within the period of four weeks from the date of receipt of the further information, either:
- (a) confirmed whether or not it is satisfied; or
  - (b) informed the operator that it requires further information.

## **2.7 Waste acceptance**

- 2.7.1 Wastes shall only be accepted for disposal if:
- (a) they are listed in schedule 2, table S2.1 and
  - (b) they are hazardous waste, or inert waste for cover (table S2.2) and
  - (c) they are not liquid waste (including waste waters but excluding sludge, and
  - (d) they are not waste which in the conditions of landfill is explosive, corrosive, oxidising, highly flammable or flammable, and
  - (e) they are not hospital and other clinical infectious wastes from medical or veterinary establishments, and
  - (f) they are not chemical substances from research and development or teaching activities, for example laboratory residues, which are unidentified and/or which are new and whose effects on man and/or the environment are unknown, and
  - (g) all the relevant waste acceptance procedures have been completed, and
  - (h) they fulfil the relevant waste acceptance criteria, and
  - (i) they have not been diluted or mixed solely to meet the relevant waste acceptance criteria, and
  - (j) they are wastes which have been treated, except for where treatment would not reduce its quantity or the hazards which it poses to human health or the environment.
- 2.7.2 Wastes shall only be accepted for restoration where:
- (a) they are listed in schedule 2, table S2.3 and
  - (b) they are accepted in accordance with a restoration plan approved in writing by the Environment Agency.



- 2.7.3 The operator shall visually inspect:
- (a) without unloading it, waste that is not in an enclosed container or enclosed vehicle on arrival at the landfill; and
  - (b) waste at the point of deposit;
- and shall satisfy itself that it conforms to the basic characterisation documentation submitted by the holder.
- 2.7.4 Where the operator has taken samples to establish that the waste is in conformity with the documentation submitted by the holder then the samples taken shall be retained for at least one month and results of any analysis for at least two years.
- 2.7.5 The operator on accepting each delivery of waste shall provide a receipt to the person delivering it.
- 2.7.6 The total quantity of waste that shall be deposited in the landfill shall be limited by the pre-settlement levels shown on drawing 'Pre-Settlement Contours; Plan Ref. ICI MP-05' dated June 2003.
- 2.7.7 The quantity of waste that is deposited in the landfill in any year shall not exceed the limits in schedule 1 table S1.5.
- 2.7.8 The operator shall maintain and implement a system which ensures that a record is made of the quantity, characteristics, date of delivery and, where practicable, origin of any waste that is received for disposal or recovery and of the identity of the producer, or in the case of municipal waste and multiple collection vehicles, of the collector of such waste. Any information regarded by the operator as commercially confidential shall be clearly identified in the record.
- 2.7.9 The operator shall maintain and implement a system to record the disposal location of any hazardous waste.

## **2.8 Leachate levels**

- 2.8.1 The limits for the level of leachate listed in schedule 3, table S3.1 shall not be exceeded.

## **2.9 Closure and aftercare**

- 2.9.1 The operator shall maintain a closure and aftercare management plan.

## **2.10 Landfill gas management**

- 2.10.1 The operator shall take appropriate measures, including, but not limited to, those specified in any approved landfill gas management plan, to:
- (a) collect landfill gas; and
  - (b) control the migration of landfill gas.
- 2.10.2 The operator shall use the collected landfill gas to produce energy. If the collected landfill gas cannot be used to produce energy, the operator shall use appropriate measures to flare or treat the gas in accordance with an approved landfill gas management plan.
- 2.10.3 The operator shall:

- (b) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a revised landfill gas management plan;
- (b) implement the revised landfill gas management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## **3 Emissions and monitoring**

### **3.1 Emissions to water, air or land**

- 3.1.1. The limits in schedule 3 shall not be exceeded.
- 3.1.2 There shall be no point source emissions to water, air or land except from the sources and emission points listed in schedule 3 tables S3.2.
- 3.1.3 The operator shall prevent the input of any hazardous substances from the activities into groundwater.
- 3.1.4 The operator shall submit to the Environment Agency a review of the Hydrogeological Risk Assessment:
  - (a) between nine and six months prior to the fourth anniversary of the granting of the permit, and
  - (b) between nine and six months prior to every subsequent six years after the fourth anniversary of the granting of the permit.

### **3.2 Emissions of substances not controlled by emission limits**

- 3.2.1 Emissions of substances not controlled by emission limits (excluding odour) shall not cause pollution. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved emissions management plan, have been taken to prevent or where that is not practicable, to minimise, those emissions.
- 3.2.2 All liquids in containers, whose emission to water or land could cause pollution, shall be provided with secondary containment, unless the operator has used other appropriate measures to prevent or where that is not practicable, to minimise, leakage and spillage from the primary container.

### **3.3 Odour**

- 3.3.1 Emissions from the activities shall be free from odour at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved odour management plan, to prevent or where that is not practicable to minimise the odour.
- 3.3.2 The operator shall:
  - (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to odour, submit to the Environment Agency for approval within the period specified, an odour management plan which identifies and minimises the risks of pollution from odour;
  - (b) implement the approved odour management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## 3.4 Noise and vibration

- 3.4.1 Emissions from the activities shall be free from noise and vibration at levels likely to cause pollution outside the site, as perceived by an authorised officer of the Environment Agency, unless the operator has used appropriate measures, including, but not limited to, those specified in any approved noise and vibration management plan to prevent or where that is not practicable to minimise the noise and vibration.
- 3.4.2 The operator shall:
- (a) if notified by the Environment Agency that the activities are giving rise to pollution outside the site due to noise and vibration, submit to the Environment Agency for approval within the period specified, a noise and vibration management plan which identifies and minimises the risks of pollution from odour;
  - (b) implement the approved noise and vibration management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## 3.5 Monitoring

- 3.5.1 The operator shall, unless otherwise agreed in writing by the Environment Agency, undertake the monitoring and any other actions specified in the following tables in schedule 3 to this permit:
- (a) Leachate specified in tables S3.1 and S3.9;
  - (b) Point source emissions specified in tables S3.2;
  - (c) Groundwater specified in tables S3.3 and S3.7;
  - (d) Landfill gas specified in tables S3.4, S3.6 and S3.8; and
  - (f) Particulate matter specified in table S3.5.
- 3.5.2 The operator shall maintain records of all monitoring required by this permit including records of the taking and analysis of samples, instrument measurements (periodic and continual), calibrations, examinations, tests and surveys and any assessment or evaluation made on the basis of such data.
- 3.5.3 A topographical survey of the site referenced to ordnance datum shall be carried out:
- (a) annually, and
  - (b) prior to the disposal of waste in any new cell or new development area of the landfill, and
  - (c) following closure of the landfill or part of the landfill.

The topographical survey shall be used to produce a plan of a scale adequate to show the surveyed features of the site.

## 3.6 Pests

- 3.6.1 The activities shall not give rise to the presence of pests which are likely to cause pollution, hazard or annoyance outside the boundary of the site. The operator shall not be taken to have breached this condition if appropriate measures, including, but not limited to, those specified in any approved pests management plan, have been taken to prevent or where that is not practicable, to minimise the presence of pests on the site.

3.6.2 The operator shall:

- (a) if notified by the Environment Agency, submit to the Environment Agency for approval within the period specified, a pests management plan which identifies and minimises risks of pollution hazard or annoyance from pests;
- (b) implement the pests management plan, from the date of approval, unless otherwise agreed in writing by the Environment Agency.

## 4 Information

### 4.1 Records

4.1.1 All records required to be made by this permit shall:

- (a) be legible;
- (b) be made as soon as reasonably practicable;
- (c) if amended, be amended in such a way that the original and any subsequent amendments remain legible, or are capable of retrieval; and
- (d) be retained, unless otherwise agreed in writing by the Environment Agency, for at least 6 years from the date when the records were made, or in the case of the following records until permit surrender:
  - i. the results of groundwater monitoring;
  - ii. sub-surface landfill gas monitoring;
  - iii. leachate levels, quality and quantities;
  - iv. landfill gas generation and collection;
  - v. waste types and quantities;
  - vi. the location of hazardous waste deposits; and
  - vii. the specification and as built drawings of the basal, sidewall and capping engineering systems.

4.1.2 The operator shall keep on site all records, plans and the management system required to be maintained by this permit, unless otherwise agreed in writing by the Environment Agency.

### 4.2 Reporting

4.2.1 The operator shall send reports and notifications required by the permit to the Environment Agency using the contact details supplied in writing by the Environment Agency.

- 4.2.2 A report or reports on the performance of the activities over the previous year ('the annual report') shall be submitted to the Environment Agency by 31<sup>st</sup> January each year or such other date as may be agreed in writing by the Agency, with the exception of 4.2.2(c) that must be provided by the end of February each year. The report(s) shall include as a minimum:
- (a) a review of the results of the monitoring and assessment carried out in accordance with this permit against the relevant assumptions, parameters and results in the risk assessments submitted in relation to this installation and any agreed amendments thereto. The review will include written descriptions of the improvements made to operational performance during the year, action plans developed and planned improvements for the coming year;
  - (b) the energy consumed at the site, reported in the format set out in schedule 4 table S4.3
  - (c) the annual production/ treatment set out in schedule 4, table S4.2;
  - (d) the topographical surveys required by condition 3.5.3 other than those submitted as part of a CQA validation report;
  - (e) the volumetric difference (reported in cubic metres) between the most recent topographical survey and the previous annual topographical survey i.e. the additional volume of the landfill void that is occupied by waste;
  - (f) an assessment of the settlement behaviour of the landfill body based on the difference between the most recent topographical survey and previous annual topographical survey for the areas of the landfill which did not receive waste between the surveys;
  - (g) a calculation of the remaining capacity (reported in cubic metres) derived from the pre-settlement contours and the most recent topographical survey;
  - (h) a plan(s) ('the monitoring and extraction point plan - MEPP') showing the locations of leachate and landfill gas extraction and all monitoring points.
- 4.2.3 Within 28 days of the end of the reporting period the operator shall, unless otherwise agreed in writing by the Environment Agency, submit reports of the monitoring and assessment carried out in accordance with the conditions of this permit, as follows:
- (a) in respect of the parameters and emission points specified in schedule 4, table S4.1;
  - (b) using the forms specified in schedule 4, table S4.4 or other reporting format as agreed in writing with the Environment Agency; and
  - (c) giving the information from such results and assessments as may be required by the forms specified in those tables.
- 4.2.4 Within one month of the end of each quarter, the operator shall submit to the Environment Agency using the form made available for the purpose, the information specified on the form relating to the site and the waste accepted and removed from it during the previous quarter.
- 4.2.5 The operator shall, unless notice under this condition has been served within the preceding four years, submit to the Environment Agency, within six months of receipt of a written notice, a report assessing whether there are other appropriate measures that could be taken to prevent, or where that is not practicable, to minimise pollution.

## 4.3 Notifications

- 4.3.1 (a) In the event that the operation of the activities gives rise to an incident or accident which significantly affects or may significantly affect the environment, the operator must immediately;
- (i) inform the Environment Agency,
  - (ii) take the measures necessary to limit the environmental consequences of such an incident or accident, and
  - (iii) take the measures necessary to prevent further possible incidents or accidents;
- (b) in the event of a breach of any permit condition the operator must immediately—
- (i) inform the Environment Agency, and
  - (ii) take the measures necessary to ensure that compliance is restored within the shortest possible time;
- (c) in the event of a breach of permit condition which poses an immediate danger to human health or threatens to cause an immediate significant adverse effect on the environment, the operator must immediately suspend the operation of the activities or the relevant part of it until compliance with the permit conditions has been restored.
- 4.3.2 Any information provided under condition 4.3.1 (a)(i), or 4.3.1 (b)(i) where the information relates to the breach of a limit specified in the permit, shall be confirmed by sending the information listed in schedule 5 to this permit within the time period specified in that schedule.
- 4.3.3 The Environment Agency shall be notified within 14 days of the occurrence of the following matters, except where such disclosure is prohibited by Stock Exchange rules:
- Where the operator is a registered company:
- (a) any change in the operator's trading name, registered name or registered office address; and
  - (b) any steps taken with a view to the operator going into administration, entering into a company voluntary arrangement or being wound up.
- Where the operator is a corporate body other than a registered company:
- (a) any change in the operator's name or address; and
  - (b) any steps taken with a view to the dissolution of the operator.
- 4.3.4 In any other case:
- (a) the death of any of the named operators (where the operator consists of more than one named individual);
  - (b) any change in the operator's name(s) or address(es); and
  - (c) any steps taken with a view to the operator, or any one of them, going into bankruptcy, entering into a composition or arrangement with creditors, or, in the case of them being in a partnership, dissolving the partnership.
- 4.3.5 Where the operator proposes to make a change in the nature or functioning, or an extension of the activities, which may have consequences for the environment and the change is not otherwise the subject of an application for approval under the Regulations or this permit:
- (a) the Environment Agency shall be notified at least 14 days before making the change; and
  - (b) the notification shall contain a description of the proposed change in operation.

## 4.4 Interpretation

- 4.4.1 In this permit the expressions listed in schedule 6 shall have the meaning given in that schedule.
- 4.4.2 In this permit references to reports and notifications mean written reports and notifications, except where reference is made to notification being made “without delay”, in which case it may be provided by telephone.

# Schedule 1 - Operations

**Table S1.1 activities**

Activity reference	WFD Annex I and II operations (where applicable)	Activity listed in Schedule 1 of the EP Regulations	Description of specified activity	Limits of specified activity
A1	D5 –Specially engineered landfill and R10 – Land treatment resulting in benefit to agriculture or ecology	Section 5.2 Part A(1) (a) , The disposal of waste in a landfill.	Landfill for hazardous waste and landfill restoration	Receipt, handling, storage and disposal of wastes, consisting of the types and quantities specified in conditions 2.7, as an integral part of landfilling.

**Directly Associated Activities**

A5	N/A		Discharges of site drainage from the landfill.	From surface water management system to point of entry to soakaway
----	-----	--	--	--

**Table S1.2 Operating techniques**

Description	Parts	Date Received
Application	The response to questions 1.2, 2.1, 2.2, 2.3, 2.4 and 2.5 in part B of the Application Form. Excluding the responses to the following: 2.3.17 - 2.3.20, 2.3.28 - 2.3.33, 2.3.37 - 2.3.39, 2.3.43, 2.3.68, 2.3.69	09/06/2003
Supplementary Hydrogeological Risk Assessment Comments	All parts	11/02/2004
Supplementary Hydrogeological Risk Assessment Comments	All parts	11/02/2004



**Table S1.2 Operating techniques**

<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
Supplementary Stability Risk Assessment Comments	All parts	12/02/2004
Additional Hydrogeological Risk Assessment	All parts	19/04/2004
Note on Interim Control and Trigger Concentrations	List I leachate control levels only	21/04/2004
Technical Note on Stability Assessment on the Proposed Embankment Between the ICI No 2 Teesport and ICI No 3 Teesport Sites	All parts excluding embankment detail drawing No. TP27	21/04/2004
Revised Embankment Detail Drawing No. TP27 Rev A	All parts	07/05/2004
Revised Environmental Monitoring Plan Drawing No. TP17 Rev: A	All parts	02/02/2005
Report on Borehole 204	All parts	03/11/2005
Report on the Leak Detection System, (Issue 1)	All parts	03/11/2005

**Table S1.2 Operating techniques**

<b>Description</b>	<b>Parts</b>	<b>Date Received</b>
Landfill Gas Monitoring Proposals (Issue 1, December 2005).	Excluding in-waste gas monitoring proposals.	03/11/2005
Particulate Management Plan V2	All parts	13/10/2005
Landfill Gas Management Plan (Issue 3)	All parts	28/11/2005
Surface Water Management Plan (Issue 1, December 2005)	All parts	Dec 2005
Leachate Management Plan Issue 2	All parts	Feb 2005
Options Appraisal for Leachate Treatment Disposal Arrangements	All parts	Sept 2006
Assessment of Risk of Leachate Outbreak Impacting on the Proposed Surface Water Soakaway	All parts	06/12/2006
Amendment to waste types variation statement (May 2007)	All parts, excluding the request for acceptance of filter cake wastes 19 03 04 and 19 03 06	30/05/2007

**Table S1.2 Operating techniques**

Description	Parts	Date Received
Hydro-geological Risk Assessment for acceptance of Waste Types exceeding WAC (version 2, August 2007)	All parts, excluding the request for acceptance of filter cake wastes 19 03 04 and 19 03 06	30/08/2007
Revision of Monitoring and Control Management Plan: April 2011	All parts	03/05/2011

**Table S1.3 Improvement programme requirements**

Reference	Requirement	Date
1	The operator shall submit to the Environment Agency for approval details of the waste types, quantities and acceptance criteria for wastes that are and will be accepted on site for the purpose of landfill restoration.	01/05/2015
2	The operator shall submit to the Environment Agency for approval details of the quantities of inert wastes that are and will be accepted on site for the purpose of landfill cover.	01/05/2015
3	The operator shall review and update the proposals detailed in the document titled 'Scheme to Monitor the Separation Bund' submitted March 2010. The updated document shall then be submitted to the Environment Agency for approval. The Operator shall undertake any measures approved in writing by the Agency to the timescales indicated in the approval.	01/05/2015

**Table S1.4 Pre-operational requirements**

Reference	Operation	Pre-operational Measures
1	Waste deposit in a cell adjacent to the bund separating the hazardous and non-hazardous installations	No waste shall be deposited in any cell adjacent to the bund separating the hazardous and non-hazardous installations as shown on drawing TP07 Rev: A and described in the Technical Note on Stability Assessment on the Proposed Embankment Between the ICI No 2 Teesport and ICI No 3 Teesport Sites (the Separation Bund) unless the Separation Bund has been constructed for the full length of the cell and the Agency has confirmed in writing that it has no objection to that cell becoming operational.
2	Waste deposit in a cell adjacent to the bund separating the hazardous and non-hazardous installations.	No waste shall be deposited within 10 metres of the end of the Separation Bund unless suitable engineered containment that prevents waste escaping from the installation boundary, has been approved by the Agency and has been installed.
3	Construction of leachate extraction and monitoring points in any new cell	Prior to construction of leachate extraction and monitoring points, stability calculations shall be provided which demonstrate the long term stability and integrity of the points over the life-time of the site. The calculations shall consider the proposed method of operation to ensure that the emplacement of waste should take place in such a way as to ensure stability of leachate extraction and monitoring structures.

**Table S1.5 Annual waste input limits**

Category	Limit Tonnes/ Year
Hazardous waste	500,000
Inert Waste for cover	As agreed in accordance with improvement condition 2 in table S1.3
Waste for restoration	As agreed in accordance with improvement condition 1 in table S1.3
<b>Total</b>	500,000

## Schedule 2 - List of permitted wastes

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

Waste code	Description
<b>01</b>	<b>WASTES RESULTING FROM EXPLORATION, MINING, QUARRYING, AND PHYSICAL AND CHEMICAL TREATMENT OF MINERALS</b>
<b>01 03</b>	<b>wastes from physical and chemical processing of metalliferous minerals</b>
01 03 04*	acid-generating tailings from processing of sulphide ore
01 03 05*	other tailings containing dangerous substances
01 03 07*	other wastes containing dangerous substances from physical and chemical processing of metalliferous minerals
<b>01 04</b>	<b>wastes from physical and chemical processing of non-metalliferous minerals</b>
01 04 07*	wastes containing dangerous substances from physical and chemical processing of non-metalliferous minerals
<b>01 05</b>	<b>drilling muds and other drilling wastes</b>
01 05 05*	oil-containing drilling muds and wastes
01 05 06*	drilling muds and other drilling wastes containing dangerous substances
<b>02</b>	<b>WASTES FROM AGRICULTURE, HORTICULTURE, AQUACULTURE, FORESTRY, HUNTING AND FISHING, FOOD PREPARATION AND PROCESSING</b>
<b>02 01</b>	<b>wastes from agriculture, horticulture, aquaculture, forestry, hunting and fishing</b>
02 01 08*	agrochemical waste containing dangerous substances
<b>03</b>	<b>WASTES FROM WOOD PROCESSING AND THE PRODUCTION OF PANELS AND FURNITURE, PULP, PAPER AND CARDBOARD</b>
<b>03 02</b>	<b>wastes from wood preservation</b>
03 02 01*	non-halogenated organic wood preservatives
03 02 02*	organochlorinated wood preservatives
03 02 03*	organometallic wood preservatives
03 02 04*	inorganic wood preservatives
03 02 05*	other wood preservatives containing dangerous substances
<b>04</b>	<b>WASTES FROM THE LEATHER, FUR AND TEXTILE INDUSTRIES</b>
<b>04 01</b>	<b>wastes from the leather and fur industry</b>
04 01 03*	degreasing wastes containing solvents without a liquid phase
<b>04 02</b>	<b>wastes from the textile industry</b>
04 02 14*	wastes from finishing containing organic solvents
04 02 16*	dyestuffs and pigments containing dangerous substances
04 02 19*	sludges from on-site effluent treatment containing dangerous substances
<b>05</b>	<b>WASTES FROM PETROLEUM REFINING, NATURAL GAS PURIFICATION AND PYROLYTIC TREATMENT OF COAL</b>
<b>05 01</b>	<b>wastes from petroleum refining</b>
05 01 02*	desalter sludges
05 01 03*	tank bottom sludges
05 01 04*	acid alkyl sludges
05 01 05*	oil spills
05 01 06*	oily sludges from maintenance operations of the plant or equipment
05 01 07*	acid tars
05 01 08*	other tars
05 01 09*	sludges from on-site effluent treatment containing dangerous substances
05 01 11*	wastes from cleaning of fuels with bases
05 01 12*	oil containing acids
05 01 15*	spent filter clays

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
<b>05 06</b>	<b>wastes from the pyrolytic treatment of coal</b>
05 06 01*	acid tars
05 06 03*	other tars
<b>05 07</b>	<b>wastes from natural gas purification and transportation</b>
05 07 01*	wastes containing mercury
<b>06</b>	<b>WASTES FROM INORGANIC CHEMICAL PROCESSES</b>
<b>06 01</b>	<b>wastes from the manufacture, formulation, supply and use (MFSU) of acids</b>
<b>06 02</b>	<b>wastes from the MFSU of bases</b>
06 02 01*	calcium hydroxide
06 02 03*	ammonium hydroxide
06 02 04*	sodium and potassium hydroxide
06 02 05*	other bases
<b>06 03</b>	<b>wastes from the MFSU of salts and their solutions and metallic oxides</b>
06 03 11*	solid salts and solutions containing cyanides
06 03 13*	solid salts and solutions containing heavy metals
06 03 15*	metallic oxides containing heavy metals
<b>06 04</b>	<b>metal-containing wastes other than those mentioned in 06 03</b>
06 04 03*	wastes containing arsenic
06 04 04*	wastes containing mercury
06 04 05*	wastes containing other heavy metals
<b>06 05</b>	<b>sludges from on-site effluent treatment</b>
06 05 02*	sludges from on-site effluent treatment containing dangerous substances
<b>06 06</b>	<b>wastes from the MFSU of sulphur chemicals, sulphur chemical processes and desulphurisation processes</b>
06 06 02*	wastes containing dangerous sulphides
<b>06 07</b>	<b>wastes from the MFSU of halogens and halogen chemical processes</b>
06 07 01*	wastes containing asbestos from electrolysis
06 07 02*	activated carbon from chlorine production
06 07 03*	barium sulphate sludge containing mercury
06 07 04*	solutions and acids, for example contact acid
<b>06 08</b>	<b>wastes from the MFSU of silicon and silicon derivatives</b>
06 08 02*	wastes containing dangerous silicones
<b>06 09</b>	<b>wastes from the MFSU of phosphorous chemicals and phosphorous chemical processes</b>
06 09 03*	calcium-based reaction wastes containing or contaminated with dangerous substances
<b>06 10</b>	<b>wastes from the MFSU of nitrogen chemicals, nitrogen chemical processes and fertiliser manufacture</b>
06 10 02*	wastes containing dangerous substances
<b>06 13</b>	<b>wastes from inorganic chemical processes not otherwise specified</b>
06 13 01*	inorganic plant protection products, wood-preserving agents and other biocides.
06 13 04*	wastes from asbestos processing
06 13 05*	Soot
<b>07</b>	<b>WASTES FROM ORGANIC CHEMICAL PROCESSES</b>
<b>07 01</b>	<b>wastes from the manufacture, formulation, supply and use (MFSU) of basic organic chemicals</b>
07 01 07*	halogenated still bottoms and reaction residues
07 01 08*	other still bottoms and reaction residues
07 01 09*	halogenated filter cakes and spent absorbents

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
07 01 10*	other filter cakes and spent absorbents
07 01 11*	sludges from on-site effluent treatment containing dangerous substances
<b>07 02</b>	<b>wastes from the MFSU of plastics, synthetic rubber and man-made fibres</b>
07 02 07*	halogenated still bottoms and reaction residues
07 02 08*	other still bottoms and reaction residues
07 02 09*	halogenated filter cakes and spent absorbents
07 02 10*	other filter cakes and spent absorbents
07 02 11*	sludges from on-site effluent treatment containing dangerous substances
07 02 14*	wastes from additives containing dangerous substances
07 02 16*	wastes containing dangerous silicones
<b>07 03</b>	<b>wastes from the MFSU of organic dyes and pigments (except 06 11)</b>
07 03 07*	halogenated still bottoms and reaction residues
07 03 08*	other still bottoms and reaction residues
07 03 09*	halogenated filter cakes and spent absorbents
07 03 10*	other filter cakes and spent absorbents
07 03 11*	sludges from on-site effluent treatment containing dangerous substances
<b>07 04</b>	<b>wastes from the MFSU of organic plant protection products (except 02 01 08 and 02 01 09), wood preserving agents (except 03 02) and other biocides</b>
07 04 07*	halogenated still bottoms and reaction residues
07 04 08*	other still bottoms and reaction residues
07 04 09*	halogenated filter cakes and spent absorbents
07 04 10*	other filter cakes and spent absorbents
07 04 11*	sludges from on-site effluent treatment containing dangerous substances
07 04 13*	solid wastes containing dangerous substances
<b>07 05</b>	<b>wastes from the MFSU of pharmaceuticals</b>
07 05 07*	halogenated still bottoms and reaction residues
07 05 08*	other still bottoms and reaction residues
07 05 09*	halogenated filter cakes and spent absorbents
07 05 10*	other filter cakes and spent absorbents
07 05 11*	sludges from on-site effluent treatment containing dangerous substances
07 05 13*	solid wastes containing dangerous substances
<b>07 06</b>	<b>wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics</b>
07 06 07*	halogenated still bottoms and reaction residues
07 06 08*	other still bottoms and reaction residues
07 06 09*	halogenated filter cakes and spent absorbents
07 06 10*	other filter cakes and spent absorbents
07 06 11*	sludges from on-site effluent treatment containing dangerous substances
<b>07 07</b>	<b>wastes from the MFSU of fine chemicals and chemical products not otherwise specified</b>
07 07 07*	halogenated still bottoms and reaction residues
07 07 08*	other still bottoms and reaction residues
07 07 09*	halogenated filter cakes and spent absorbents
07 07 10*	other filter cakes and spent absorbents
07 07 11*	sludges from on-site effluent treatment containing dangerous substances

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
<b>08</b>	<b>WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS</b>
<b>08 01</b>	<b>wastes from MFSU and removal of paint and varnish</b>
08 01 11*	waste paint and varnish containing organic solvents or other dangerous substances
08 01 13*	sludges from paint or varnish containing organic solvents or other dangerous substances
08 01 15*	aqueous sludges containing paint or varnish containing organic solvents or other dangerous substances
08 01 17*	wastes from paint or varnish removal containing organic solvents or other dangerous substances
08 01 21*	waste paint or varnish remover
<b>08 03</b>	<b>wastes from MFSU of printing inks</b>
08 03 12*	waste ink containing dangerous substances
08 03 14*	ink sludges containing dangerous substances
08 03 16*	waste etching solutions
08 03 17*	waste printing toner containing dangerous substances
08 03 19*	disperse oil
<b>08 04</b>	<b>wastes from MFSU of adhesives and sealants (including waterproofing products)</b>
08 04 09*	waste adhesives and sealants containing organic solvents or other dangerous substances
08 04 11*	adhesive and sealant sludges containing organic solvents or other dangerous substances
08 04 13*	aqueous sludges containing adhesives or sealants containing organic solvents or other dangerous substances
08 04 17*	rosin oil
<b>08 05</b>	<b>wastes not otherwise specified in 08</b>
08 05 01*	waste isocyanates
<b>09</b>	<b>WASTES FROM THE PHOTOGRAPHIC INDUSTRY</b>
<b>09 01</b>	<b>wastes from the photographic industry</b>
09 01 06*	wastes containing silver from on-site treatment of photographic wastes
09 01 11*	single-use cameras containing batteries included in 16 06 01, 16 06 02 or 16 06 03
<b>10</b>	<b>WASTES FROM THERMAL PROCESSES</b>
<b>10 01</b>	<b>wastes from power stations and other combustion plants (except 19)</b>
10 01 04*	oil fly ash and boiler dust
10 01 09*	sulphuric acid
10 01 13*	fly ash from emulsified hydrocarbons used as fuel
10 01 14*	bottom ash, slag and boiler dust from co-incineration containing dangerous substances
10 01 16*	fly ash from co-incineration containing dangerous substances
10 01 18*	wastes from gas cleaning containing dangerous substances
10 01 20*	sludges from on-site effluent treatment containing dangerous substances
10 01 22*	aqueous sludges from boiler cleansing containing dangerous substances
<b>10 02</b>	<b>wastes from the iron and steel industry</b>
10 02 07*	solid wastes from gas treatment containing dangerous substances
10 02 11*	wastes from cooling-water treatment containing oil
10 02 13*	sludges and filter cakes from gas treatment containing dangerous substances
<b>10 03</b>	<b>wastes from aluminium thermal metallurgy</b>
10 03 04*	primary production slags
10 03 08*	salt slags from secondary production
10 03 09*	black drosses from secondary production



**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
10 03 15*	skimmings that are flammable or emit, upon contact with water, flammable gases in dangerous quantities
10 03 17*	tar-containing wastes from anode manufacture
10 03 19*	flue-gas dust containing dangerous substances
10 03 21*	other particulates and dust (including ball-mill dust) containing dangerous substances
10 03 23*	solid wastes from gas treatment containing dangerous substances
10 03 25*	sludges and filter cakes from gas treatment containing dangerous substances
10 03 27*	wastes from cooling-water treatment containing oil
10 03 29*	wastes from treatment of salt slags and black drosses containing dangerous substances
<b>10 04</b>	<b>wastes from lead thermal metallurgy</b>
10 04 01*	slags from primary and secondary production
10 04 02*	dross and skimmings from primary and secondary production
10 04 03*	calcium arsenate
10 04 04*	flue-gas dust
10 04 05*	other particulates and dust
10 04 06*	solid wastes from gas treatment
10 04 07*	sludges and filter cakes from gas treatment
10 04 09*	wastes from cooling-water treatment containing oil
<b>10 05</b>	<b>wastes from zinc thermal metallurgy</b>
10 05 03*	flue-gas dust
10 05 05*	solid waste from gas treatment
10 05 06*	sludges and filter cakes from gas treatment
10 05 08*	wastes from cooling-water treatment containing oil
10 05 10*	dross and skimmings that are flammable or emit, upon contact with water, flammable gases in dangerous quantities
<b>10 06</b>	<b>wastes from copper thermal metallurgy</b>
10 06 03*	flue-gas dust
10 06 06*	solid wastes from gas treatment
10 06 07*	sludges and filter cakes from gas treatment
10 06 09*	wastes from cooling-water treatment containing oil
<b>10 07</b>	<b>wastes from silver, gold and platinum thermal metallurgy</b>
10 07 07*	wastes from cooling-water treatment containing oil
<b>10 08</b>	<b>wastes from other non-ferrous thermal metallurgy</b>
10 08 08*	salt slag from primary and secondary production
10 08 10*	dross and skimmings that are flammable or emit, upon contact with water, flammable gases in dangerous quantities
10 08 12*	tar-containing wastes from anode manufacture
10 08 15*	flue-gas dust containing dangerous substances
10 08 17*	sludges and filter cakes from flue-gas treatment containing dangerous substances
10 08 19*	wastes from cooling-water treatment containing oil
<b>10 09</b>	<b>wastes from casting of ferrous pieces</b>
10 09 05*	casting cores and moulds which have not undergone pouring containing dangerous substances
10 09 07*	casting cores and moulds which have undergone pouring containing dangerous substances
10 09 09*	flue-gas dust containing dangerous substances
10 09 11*	other particulates containing dangerous substances
10 09 13*	waste binders containing dangerous substances
10 09 15*	waste crack-indicating agent containing dangerous substances

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
<b>10 10</b>	<b>wastes from casting of non-ferrous pieces</b>
10 10 05*	casting cores and moulds which have not undergone pouring, containing dangerous substances
10 10 07*	casting cores and moulds which have undergone pouring, containing dangerous substances
10 10 09*	flue-gas dust containing dangerous substances
10 10 11*	other particulates containing dangerous substances
10 10 13*	waste binders containing dangerous substances
10 10 15*	waste crack-indicating agent containing dangerous substances
<b>10 11</b>	<b>wastes from manufacture of glass and glass products</b>
10 11 09*	waste preparation mixture before thermal processing, containing dangerous substances
10 11 11*	waste glass in small particles and glass powder containing heavy metals (for example from cathode ray tubes)
10 11 13*	glass-polishing and -grinding sludge containing dangerous substances
10 11 15*	solid wastes from flue-gas treatment containing dangerous substances
10 11 17*	sludges and filter cakes from flue-gas treatment containing dangerous substances
10 11 19*	solid wastes from on-site effluent treatment containing dangerous substances
<b>10 12</b>	<b>wastes from manufacture of ceramic goods, bricks, tiles and construction products</b>
10 12 09*	solid wastes from gas treatment containing dangerous substances
10 12 11*	wastes from glazing containing heavy metals
<b>10 13</b>	<b>wastes from manufacture of cement, lime and plaster and articles and products made from them</b>
10 13 09*	wastes from asbestos-cement manufacture containing asbestos
10 13 12*	solid wastes from gas treatment containing dangerous substances
<b>10 14</b>	<b>waste from crematoria</b>
10 14 01*	waste from gas cleaning containing mercury
<b>11</b>	<b>WASTES FROM CHEMICAL SURFACE TREATMENT AND COATING OF METALS AND OTHER MATERIALS; NON-FERROUS HYDRO-METALLURGY</b>
<b>11 01</b>	<b>wastes from chemical surface treatment and coating of metals and other materials (for example galvanic processes, zinc coating processes, pickling processes, etching, phosphatising, alkaline degreasing, anodising)</b>
11 01 08*	phosphatising sludges
11 01 09*	sludges and filter cakes containing dangerous substances
11 01 13*	degreasing wastes containing dangerous substances
11 01 15*	eluate and sludges from membrane systems or ion exchange systems containing dangerous substances
11 01 16*	saturated or spent ion exchange resins
11 01 98*	other wastes containing dangerous substances
<b>11 02</b>	<b>wastes from non-ferrous hydrometallurgical processes</b>
11 02 02*	sludges from zinc hydrometallurgy (including jarosite, goethite)
11 02 05*	wastes from copper hydrometallurgical processes containing dangerous substances
11 02 07*	other wastes containing dangerous substances
<b>11 03</b>	<b>sludges and solids from tempering processes</b>
11 03 01*	wastes containing cyanide
11 03 02*	other wastes
<b>11 05</b>	<b>wastes from hot galvanising processes</b>
11 05 03*	solid wastes from gas treatment
11 05 04*	spent flux

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
<b>12</b>	<b>WASTES FROM SHAPING AND PHYSICAL AND MECHANICAL SURFACE TREATMENT OF METALS AND PLASTICS</b>
<b>12 01</b>	<b>wastes from shaping and physical and mechanical surface treatment of metals and plastics</b>
12 01 06*	mineral-based machining oils containing halogens (except emulsions and solutions)
12 01 07*	mineral-based machining oils free of halogens (except emulsions and solutions)
12 01 08*	machining emulsions and solutions containing halogens
12 01 09*	machining emulsions and solutions free of halogens
12 01 10*	synthetic machining oils
12 01 12*	spent waxes and fats
12 01 14*	machining sludges containing dangerous substances
12 01 16*	waste blasting material containing dangerous substances
12 01 18*	metal sludge (grinding, honing and lapping sludge) containing oil
12 01 19*	readily biodegradable machining oil
12 01 20*	spent grinding bodies and grinding materials containing dangerous substances
<b>13</b>	<b>OIL WASTES AND WASTES OF LIQUID FUELS (except edible oils, and those in chapters 05, 12 and 19)</b>
<b>13 01</b>	<b>waste hydraulic oils</b>
13 01 04*	chlorinated emulsions
13 01 05*	non-chlorinated emulsions
13 01 09*	mineral-based chlorinated hydraulic oils
13 01 10*	mineral based non-chlorinated hydraulic oils
<b>13 08</b>	<b>oil wastes not otherwise specified</b>
13 08 01*	desalter sludges or emulsions
13 08 02*	other emulsions
13 08 99*	wastes not otherwise specified
<b>14</b>	<b>WASTE ORGANIC SOLVENTS, REFRIGERANTS AND PROPELLANTS (except 07 and 08)</b>
<b>14 06</b>	<b>waste organic solvents, refrigerants and foam/aerosol propellants</b>
14 06 04*	sludges or solid wastes containing halogenated solvents
14 06 05*	sludges or solid wastes containing other solvents
<b>15</b>	<b>WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED</b>
<b>15 01</b>	<b>packaging (including separately collected municipal packaging waste)</b>
15 01 10*	packaging containing residues of or contaminated by dangerous substances
15 01 11*	metallic packaging containing a dangerous solid porous matrix (for example asbestos), including empty pressure containers
<b>15 02</b>	<b>absorbents, filter materials, wiping cloths and protective clothing</b>
15 02 02*	absorbents, filter materials (including oil filters not otherwise specified), wiping cloths, protective clothing contaminated by dangerous substances
<b>16</b>	<b>WASTES NOT OTHERWISE SPECIFIED IN THE LIST</b>
<b>16 01</b>	<b>end-of-life vehicles from different means of transport (including off-road machinery) and wastes from dismantling of end-of-life vehicles and vehicle maintenance (except 13, 14, 16 06 and 16 08)</b>
16 01 04*	end-of-life vehicles
16 01 08*	components containing mercury
16 01 09*	
16 01 11*	brake pads containing asbestos
16 01 21*	hazardous components other than those mentioned in 16 01 07 to 16 01 11 and 16 01 13 and 16 01 14

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
<b>16 02</b>	<b>wastes from electrical and electronic equipment</b>
16 02 12*	discarded equipment containing free asbestos
16 02 13*	discarded equipment containing hazardous components <sup>1</sup> other than those mentioned in 16 02 09 to 16 02 12
16 02 15*	hazardous components removed from discarded equipment
<b>16 03</b>	<b>off-specification batches and unused products</b>
16 03 03*	inorganic wastes containing dangerous substances
<b>16 05</b>	<b>gases in pressure containers and discarded chemicals</b>
16 05 06*	laboratory chemicals, consisting of or containing dangerous substances, including mixtures of laboratory chemicals
16 05 07*	discarded inorganic chemicals consisting of or containing dangerous substances
<b>16 07</b>	<b>wastes from transport tank, storage tank and barrel cleaning (except 05 and 13)</b>
16 07 08*	wastes containing oil
16 07 09*	wastes containing other dangerous substances
<b>16 08</b>	<b>spent catalysts</b>
16 08 02*	spent catalysts containing dangerous transition metals <sup>2</sup> or dangerous transition metal compounds
16 08 05*	spent catalysts containing phosphoric acid
16 08 07*	spent catalysts contaminated with dangerous substances
<b>16 11</b>	<b>waste linings and refractories</b>
16 11 01*	carbon-based linings and refractories from metallurgical processes containing dangerous substances
16 11 03*	other linings and refractories from metallurgical processes containing dangerous substances
16 11 05*	linings and refractories from non-metallurgical processes containing dangerous substances
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>
<b>17 01</b>	<b>concrete, bricks, tiles and ceramics</b>
17 01 06*	mixtures of, or separate fractions of concrete, bricks, tiles and ceramics containing dangerous substances
<b>17 02</b>	<b>wood, glass and plastic</b>
17 02 04*	glass, plastic and wood containing or contaminated with dangerous substances
<b>17 03</b>	<b>bituminous mixtures, coal tar and tarred products</b>
17 03 01*	bituminous mixtures containing coal tar
17 03 03*	coal tar and tarred products
<b>17 04</b>	<b>metals (including their alloys)</b>
17 04 09*	metal waste contaminated with dangerous substances
17 04 10*	cables containing oil, coal tar and other dangerous substances
<b>17 05</b>	<b>soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 03*	soil and stones containing dangerous substances
17 05 05*	dredging spoil containing dangerous substances

<sup>1</sup> Hazardous components from electrical and electronic equipment may include accumulators and batteries mentioned in 16 06 and marked as hazardous; mercury switches, glass from cathode ray tubes and other activated glass, etc.

<sup>2</sup> For the purpose of this entry, transition metals are: scandium, vanadium, manganese, cobalt, copper, yttrium, niobium, hafnium, tungsten, titanium, chromium, iron, nickel, zinc, zirconium, molybdenum and tantalum. These metals or their compounds are dangerous if they are classified as dangerous substances. The classification of dangerous substances shall determine which among those transition metals and which transition metal compounds are hazardous.

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
17 05 07*	track ballast containing dangerous substances
<b>17 06</b>	<b>insulation materials and asbestos-containing construction materials</b>
17 06 01*	insulation materials containing asbestos
17 06 03*	other insulation materials consisting of or containing dangerous substances
17 06 05*	construction materials containing asbestos <sup>3</sup>
<b>17 08</b>	<b>gypsum-based construction material</b>
17 08 01*	gypsum-based construction materials contaminated with dangerous substances
<b>17 09</b>	<b>other construction and demolition wastes</b>
17 09 01*	construction and demolition wastes containing mercury
17 09 03*	other construction and demolition wastes (including mixed wastes) containing dangerous substances
<b>18</b>	<b>WASTES FROM HUMAN OR ANIMAL HEALTH CARE AND/OR RELATED RESEARCH (except kitchen and restaurant wastes not arising from immediate health care)</b>
18 01 10*	amalgam waste from dental care
<b>19</b>	<b>WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE</b>
<b>19 01</b>	<b>wastes from incineration or pyrolysis of waste</b>
19 01 05*	filter cake from gas treatment
19 01 07*	solid wastes from gas treatment
19 01 10*	spent activated carbon from flue-gas treatment
19 01 11*	bottom ash and slag containing dangerous substances
19 01 13*	fly ash containing dangerous substances
19 01 15*	boiler dust containing dangerous substances
19 01 17*	pyrolysis wastes containing dangerous substances
<b>19 02</b>	<b>wastes from physico/chemical treatments of waste (including dechromatation, decyanidation, neutralisation)</b>
19 02 04*	premixed wastes composed of at least one hazardous waste
19 02 05*	sludges from physico/chemical treatment containing dangerous substances
19 02 09*	solid combustible wastes containing dangerous substances
19 02 11*	other wastes containing dangerous substances
<b>19 03</b>	<b>stabilised/solidified wastes<sup>4</sup></b>
19 03 04*	wastes marked as hazardous, partly <sup>5</sup> stabilised
19 03 06*	wastes marked as hazardous, solidified

<sup>3</sup> As far as the landfilling of waste is concerned, Member States may decide to postpone the entry into force of this entry until the establishment of appropriate measures for the treatment and disposal of waste from construction material containing asbestos. These measures are to be established according to the procedure referred to in Article 17 of Council Directive 1999/31/EC on the landfill of waste (OJ L 182,16.7.1999,p.1) and shall be adopted by 16 July 2002 at the latest.'

<sup>4</sup> Stabilisation processes change the dangerousness of the constituents in the waste and thus transform hazardous waste into non-hazardous waste. Solidification processes only change the physical state of the waste (e.g. liquid into solid) by using additives without changing the chemical properties of the waste.

<sup>5</sup> A waste is considered as partly stabilised if, after the stabilisation process, dangerous constituents which have not been changed completely into non-dangerous constituents could be released into the environment in the short, middle or long term.

**Table S2.1 Permitted waste types for disposal at a landfill for hazardous waste**

<b>Waste code</b>	<b>Description</b>
<b>19 04</b>	<b>vitrified waste and wastes from vitrification</b>
19 04 02*	fly ash and other flue-gas treatment wastes
19 04 03*	non-vitrified solid phase
<b>19 08</b>	<b>wastes from waste water treatment plants not otherwise specified</b>
19 08 06*	saturated or spent ion exchange resins
19 08 07*	solutions and sludges from regeneration of ion exchangers
19 08 08*	membrane system waste containing heavy metals
19 08 10*	grease and oil mixture from oil/water separation other than those mentioned in 19 08 09
19 08 11*	sludges containing dangerous substances from biological treatment of industrial waste water
19 08 13*	sludges containing dangerous substances from other treatment of industrial waste water
<b>19 10</b>	<b>wastes from shredding of metal-containing wastes</b>
19 10 03*	fluff-light fraction and dust containing dangerous substances
19 10 05*	other fractions containing dangerous substances
<b>19 11</b>	<b>wastes from oil regeneration</b>
19 11 01*	spent filter clays
19 11 02*	acid tars
19 11 04*	wastes from cleaning of fuel with bases
19 11 05*	sludges from on-site effluent treatment containing dangerous substances
19 11 07*	wastes from flue-gas cleaning
<b>19 12</b>	<b>wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified</b>
19 12 11*	other wastes (including mixtures of materials) from mechanical treatment of waste containing dangerous substances
<b>19 13</b>	<b>wastes from soil and groundwater remediation</b>
19 13 01*	solid wastes from soil remediation containing dangerous substances
19 13 03*	sludges from soil remediation containing dangerous substances
19 13 05*	sludges from groundwater remediation containing dangerous substances
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMMERCIAL, INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
<b>20 01</b>	<b>separately collected fractions (except 15 01)</b>
20 01 14*	acids
20 01 15*	alkalines
20 01 17*	photochemicals
20 01 19*	pesticides
20 01 27*	paint, inks, adhesives and resins containing dangerous substances
20 01 29*	detergents containing dangerous substances
20 01 35*	discarded electrical and electronic equipment other than those mentioned in 20 01 21 and 20 01 23 containing hazardous components ( 6 )

**Table S2.2 Permitted waste types - inert waste for cover for hazardous waste landfills**

<b>Waste code</b>	<b>Description</b>
<b>10</b>	<b>WASTES FROM THERMAL PROCESSES</b>
<b>10 11</b>	<b>Wastes from manufacture of glass and glass products</b>
10 11 03	Waste glass-based fibrous materials
<b>15</b>	<b>WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED</b>
<b>15 01</b>	<b>Packaging (including separately collected municipal packaging waste)</b>
15 01 07	Glass packaging
<b>17</b>	<b>CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)</b>
<b>17 01</b>	<b>Concrete, bricks, tiles and ceramics</b>
17 01 01	Concrete
17 01 02	Bricks
17 01 03	Tiles and ceramics
17 01 07	Mixtures of concrete, bricks, tiles and ceramics
<b>17 02</b>	<b>Wood, glass and plastic</b>
17 02 02	Glass
<b>17 05</b>	<b>Soil (including excavated soil from contaminated sites), stones and dredging spoil</b>
17 05 04	Soil and stones
<b>19</b>	<b>WASTES FROM WASTE MANAGEMENT FACILITIES, OFF-SITE WASTE WATER TREATMENT PLANTS AND THE PREPARATION OF WATER INTENDED FOR HUMAN CONSUMPTION AND WATER FOR INDUSTRIAL USE</b>
<b>19 12</b>	<b>Wastes from the mechanical treatment of waste (for example sorting, crushing, compacting, pelletising) not otherwise specified.</b>
19 12 05	Glass
<b>20</b>	<b>MUNICIPAL WASTES (HOUSEHOLD WASTE AND SIMILAR COMERCIAL, INDUSTRIAL WASTES) INCLUDING SEPARATELY COLLECTED FRACTIONS</b>
<b>20 01</b>	<b>Separately collected fractions (except 15 01)</b>
20 01 02	Glass
20 02 02	Soil and stones

**Table S2.3 Permitted waste types accepted for restoration**

<b>Waste code</b>	<b>Description</b>
	As agreed in accordance with improvement condition 1 in table S1.3

## Schedule 3 – Emissions and monitoring

**Table S3.1 Leachate level limits and monitoring requirements**

Monitoring point reference/ Description	Limit	Monitoring frequency	Monitoring standard and method
<b>Operational Cells or Phases</b> (Any cells or phases that do not have a final engineered cap agreed in accordance with the existing 'landfill engineering' condition)			
Leachate compliance points  H1, H2A, H2B, H3 & H7  Including additional monitoring points agreed as each new cell is developed	1 m above cell base	Monthly	As specified in Environment Agency Guidance TGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.
<b>Non Operational Cells or Phases</b> (Any cells or phases that have a final engineered cap agreed in accordance with the existing 'landfill engineering' condition)			
Leachate compliance points	1 m above cell base	Quarterly	As specified in Environment Agency Guidance TGN02 (February 2003) or such other subsequent guidance as may be agreed in writing with the Environment Agency. Or as otherwise agreed with the Agency as part of a leachate monitoring plan.



**Table S3.2 Point source emissions to land – emission limits and monitoring requirements**

<b>Emission point Ref. &amp; Location</b>	<b>Parameter</b>	<b>Source</b>	<b>Limit (incl unit)</b>	<b>Reference Period</b>	<b>Monitoring Frequency</b>	<b>Monitoring Standard or Method</b>
SW1, SW2, SW3 and SW4 on drawing number TP-17 on the agreed Monitoring Control Management Plan (2011)	Ammoniacal Nitrogen	Surface water drainage system	0.5 mg/l	Spot Sample	Monthly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J, version 2, April 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Chloride		250 mg/l			
	pH		No limit			
	Conductivity					
	Dissolved oxygen					
Chemical oxygen demand						

**Table S3.3 Groundwater – emission limits and monitoring requirements**

<b>Monitoring point reference</b>	<b>Parameter</b>	<b>Limit (including unit)</b>	<b>Reference Period</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>
BH204	Atrazine	0.00003 mg/l	Spot Sample	Annually	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J, version 2, April 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Benzene	0.001 mg/l	Spot Sample	Annually	
	Cyanide	0.005 mg/l	Spot Sample	Annually	
	Mercury	0.000825 mg/l	Spot Sample	Annually	
	Naphthalene	0.0175 mg/l	Spot Sample	Annually	
	1,1,1 trichloroethane	0.0325 mg/l	Spot Sample	Annually	
	Tributyl tin	0.000001 mg/l	Spot Sample	Annually	
	Dibutyl tin	0.000001 mg/l	Spot Sample	Annually	

**Table S3.3 Groundwater – emission limits and monitoring requirements**

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
BH204A	Ammoniacal Nitrogen as NH <sub>4</sub>	16.3 mg/l	Spot Sample	Monthly	
	Nickel	0.03 mg/l	Spot Sample	Quarterly	
	Phenol	0.725 mg/l	Spot Sample	Quarterly	
	Atrazine	0.00003 mg/l	Spot Sample	Annually	
	Benzene	0.001 mg/l	Spot Sample	Annually	
	Cyanide	0.005 mg/l	Spot Sample	Annually	
	Mercury	0.000825 mg/l	Spot Sample	Annually	
	Naphthalene	0.0175 mg/l	Spot Sample	Annually	
	1,1,1 trichloroethane	0.0325 mg/l	Spot Sample	Annually	
	Tributyl tin	0.000001 mg/l	Spot Sample	Annually	
	Dibutyl tin	0.000001 mg/l	Spot Sample	Annually	
	Ammoniacal Nitrogen as NH <sub>4</sub>	16.3 mg/l	Spot Sample	Monthly	
	Nickel	0.03 mg/l	Spot Sample	Quarterly	
	Phenol	0.725 mg/l	Spot Sample	Quarterly	
BH205	Atrazine	0.00003 mg/l	Spot Sample	Annually	
	Benzene	0.001 mg/l	Spot Sample	Annually	
	Cyanide	0.005 mg/l	Spot Sample	Annually	
	Mercury	0.000825 mg/l	Spot Sample	Annually	
	Naphthalene	0.0175 mg/l	Spot Sample	Annually	
	1,1,1 trichloroethane	0.0325 mg/l	Spot Sample	Annually	

**Table S3.3 Groundwater – emission limits and monitoring requirements**

Monitoring point reference	Parameter	Limit (including unit)	Reference Period	Monitoring frequency	Monitoring standard or method
	Tributyl tin	0.000001 mg/l	Spot Sample	Annually	
	Dibutyl tin	0.000001 mg/l	Spot Sample	Annually	
	Ammoniacal Nitrogen as NH <sub>4</sub>	16.3 mg/l	Spot Sample	Monthly	
	Nickel	0.03 mg/l	Spot Sample	Quarterly	
	Phenol	0.725 mg/l	Spot Sample	Quarterly	

**Table S3.4 Landfill gas in external monitoring boreholes – limits and monitoring requirements**

Monitoring point Ref. /description	Parameter	Limit (including units)	Monitoring frequency	Monitoring standard or method
Gas monitoring boreholes on drawing TP17 Rev:A	Methane	1 %v/v	Monthly	As per LFTGN03 (Sept 2004) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	Carbon Dioxide	1.5 %v/v		
	Oxygen	no limit		
	Atmospheric pressure	no limit		
	Differential Pressure	no limit		
				Record whether the ground is: <ul style="list-style-type: none"> <li>• waterlogged</li> <li>• frozen</li> <li>• snow covered</li> </ul>

**Table S3.5 Particulate matter in ambient air - monitoring requirements**

Monitoring Point Ref. /Description	Parameter	Limit	Reference Period	Monitoring Frequency	Monitoring Standard or Method
20m downwind of asbestos disposal cell	Asbestos Fibres	Where total fibre concentration exceeds 0.01 fibres/ ml in any sample, that sample must be submitted	2 hours	Twice per year or every 5000 tonnes asbestos deposited, whichever is greater.	While asbestos is being deposited. <ul style="list-style-type: none"> <li>• Pumped sampling</li> <li>• 1m above ground level</li> <li>• Flow rate = 4 litres/ minute</li> </ul>
50m upwind of asbestos disposal cell	Asbestos Fibres	for electron microscopy to confirm the concentration of asbestos fibres present	2 hours	During all downwind monitoring	<ul style="list-style-type: none"> <li>• Minimum sample volume = 480 litres</li> <li>• Filter pore size = 1.2µm</li> </ul>
Site boundary downwind of asbestos disposal cell	Asbestos Fibres		2 hours	Minimum twice per year.	Asbestos fibre limit of detection = 0.001 fibres/ ml
Monitoring locations D-AQ-01 to D-AQ-06 on drawing TP-17 RevB	Particulate PM <sub>10</sub>	50µg/m <sup>3</sup>	24 hour	Annually	As detailed in Particulate Monitoring Plan Issue 2 October 2005.
	Iron	5mg/m <sup>3</sup>	8 hour	Quarterly	
	Vanadium	0.05mg/m <sup>3</sup>			
	Cadmium	0.025mg/m <sup>3</sup>			
	Chromium	0.5mg/m <sup>3</sup>			
	Nickel	0.1mg/m <sup>3</sup>			

**Table S3.6 Landfill gas emissions from capped surfaces – monitoring requirements**

<b>Monitoring point Ref. /description</b>	<b>Parameter</b>	<b>Monitoring frequency</b>	<b>Monitoring Standard or method</b>
Permanently capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Temporarily capped zone	Methane concentration	Every 12 months	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Whole site	Total methane emission	As agreed with the Environment Agency	As per LFTGN 07 (v2 2010) or such other subsequent guidance as may be agreed in writing with the Environment Agency.
Uncapped areas	Methane concentration	Every 12 months	As agreed with the Environment Agency based on the wording of revised LFTGN 07 or landfill sector guidance or such other subsequent guidance as may be agreed in writing with the Environment Agency.

**Table S3.7 Groundwater – other monitoring requirements**

<b>Monitoring Point Ref. /Description</b>	<b>Parameter</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>
<b>Up gradient MEPP</b>	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J, version 2, April 2010), or such other subsequent guidance as may be agreed in writing with the Environment Agency.
	total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese	Annually	
	Hazardous substances plus barium, molybdenum, antimony, selenium, fluoride, DOC	Annually for first six years of operation	
<b>Down or cross gradient MEPP</b>	Water level, electrical conductivity, chloride, ammoniacal nitrogen, pH,	Quarterly	As specified in Environment Agency Guidance TGN02 'Monitoring of Landfill Leachate, Groundwater and Surface Water' (February 2003), Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J, version 2, April 2010), or such other subsequent guidance as may be agreed in writing with the Environment Agency.  After the initial 6 year monitoring period for hazardous substances, if the results of quarterly or annual monitoring suggest an increase in contamination, the operator shall also undertake a full leachate hazardous substances screen.
	total alkalinity, magnesium, potassium, total sulphates, calcium, sodium, chromium, copper, iron, lead, nickel, zinc, manganese	Annually	
	Hazardous substances detected in leachate plus barium, molybdenum, antimony, selenium, fluoride, DOC	Annually for first six years of operation then every two years	
MEPP	Base of monitoring point (mAoD)	Annually	

**Table S3.8 Landfill gas – other monitoring requirements**

<b>Monitoring Point Ref. /Description</b>	<b>Parameter</b>	<b>Monitoring frequency</b>	<b>Monitoring standard or method</b>	<b>Other specifications</b>
One in waste borehole per cell and/or leachate wells plus additional monitoring points in Cell H2, LFG1 and LFG2	Methane	Monthly		
	Carbon Dioxide			
	Oxygen			
	Carbon Monoxide			
	Differential pressure			
	Atmospheric pressure			
	Hydrogen sulphide	Quarterly	Calibrated handheld monitoring instrument or Tedlar Bag sample in accordance with LFTGN04 or other such subsequent guidance as may be agreed in writing with the Environment Agency or a method agreed with the Environment Agency.	Concentrations of hydrogen sulphide shall be assessed in accordance with the odour management plan
	Hydrogen			
	Trace gas	Annually	Trace gas analysis in accordance with LFTGN04 or a trace gas characterisation method agreed with the Environment Agency or such other subsequent guidance as may be agreed in writing with the Environment Agency.	The concentration of trace gas components shall be assessed against the assumptions made in the Landfill gas risk assessment and dispersion modelling.

**Table S3.9 Leachate – other monitoring requirements**

Monitoring point reference or description	Parameter	Monitoring frequency	Monitoring standard or method	Other specifications
<b>Operational Cells or Phases</b>				
(Any cell or phases that do not have a final engineered cap agreed in accordance with condition 2.6)				
MEPP	pH, EC, total alkalinity, ammoniacal nitrogen, Chloride, COD, BOD, cadmium, chromium, copper, lead, nickel, iron, arsenic, magnesium, potassium, total sulphates, calcium, sodium, zinc, manganese	Quarterly	As specified in Environment Agency Guidance TGN02 (February 2003) and Horizontal Guidance Note H1 – Environmental Risk Assessment for permits, Annex J, version 2, April 2010) with one sampling point per cell / phase or such other subsequent guidance as may be agreed in writing with the Environment Agency.	None
MEPP	Hazardous substances plus barium, molybdenum, antimony, selenium, fluoride, DOC	Annually		None
MEPP	Depth to base (mAoD)	Annually		None
<b>Non Operational Cells or Phases</b>				
(Any cell or phases that have a final engineered cap agreed in accordance with condition 2.6)				
MEPP	pH, EC, total alkalinity, ammoniacal nitrogen, Chloride, COD, BOD, cadmium, chromium, copper, lead, nickel, iron, arsenic, magnesium, potassium, total sulphates, calcium, sodium, zinc, manganese,	Annually		
MEPP	Hazardous substances plus barium, molybdenum, antimony, selenium, fluoride, DOC	Once every four years		None
MEPP	Depth to base (mAoD)	Annually		



## Schedule 4 - Reporting

Parameters, for which reports shall be made, in accordance with conditions of this permit, are listed below.

**Table S4.1 Reporting requirements**

Parameter	Reporting period *	Period ends
Leachate and/ or groundwater level As specified by schedule 3, table S3.1	Every 3 months	31 March, 30 June, 30 September, 31 December
Point source emission to land As specified by schedule 3, table S3.2	Every 3 months	31 March, 30 June, 30 September, 31 December
Emission to groundwater As specified by schedule 3, table S3.3	Every 3 months	31 March, 30 June, 30 September, 31 December
Landfill gas in external monitoring boreholes As specified by schedule 3, table S3.4	Every 3 months	31 March, 30 June, 30 September, 31 December
Particulate matter in ambient air. As required by schedule 3, table S3.5	Every 6 months	30 June, 31 December
Emission of landfill gas from capped surfaces As specified by schedule 3, table S3.6	Every 12 months	31 December
Other groundwater monitoring As specified by schedule 3, table S3.7	Every 3 months	31 March, 30 June, 30 September, 31 December
Other Landfill gas monitoring As specified by schedule 3, table S3.8	Every 3 months	31 March, 30 June, 30 September, 31 December
<ul style="list-style-type: none"> <li>Trace gas monitoring</li> </ul>	Every 12 months	31 December
Other leachate monitoring As specified by schedule 3, table S3.9	Every 12 months	31 December
<ul style="list-style-type: none"> <li>Hazardous substances</li> </ul>	Every 12 months	31 December
Meteorological data Landfill Directive, annex III, section 2	Every 12 months	31 December

\* - where the reporting period is 12 months, you may submit this information as part of the 'annual report' required by condition 4.2.2.

**Table S4.2: Annual production/treatment**

Leachate:	Cubic metres/year
Disposed of off site;	
Disposed of to any onsite effluent treatment plant;	
Recirculated into the waste mass.	
Accepted from offsite for treatment at any onsite effluent treatment plant.	

**Table S4.3 Performance Parameters**

<b>Parameter</b>	<b>Frequency of assessment</b>	<b>Annual total</b>	<b>Unit</b>
Energy used (including for leachate treatment)	Annually		MWh of electricity or natural gas

**Table S4.4 Reporting Forms**

<b>Media/parameter</b>	<b>Reporting Format</b>	<b>Date of Form</b>
Leachate	Form Leachate 1 or other reporting format to be agreed in writing with the Environment Agency	12/03/2008
Land	As agreed in writing with the Environment Agency	
Groundwater	Form Groundwater 1 or other reporting format to be agreed in writing with the Environment Agency	12/03/2008
Landfill gas	Form LFG 1 or other reporting format to be agreed in writing with the Environment Agency	12/03/2008
Particulate matter	Form Particulate 1 or other reporting format to be agreed in writing with the Environment Agency	12/03/2008
Waste Return	Waste Return Form RATS2E	
Landfill topographical surveys and interpretation	Reporting format to be agreed in writing with the Environment Agency	

## Schedule 5 - Notification

This page outlines the information that the operator must provide.

Units of measurement used in information supplied under Part A and B requirements shall be appropriate to the circumstances of the emission. Where appropriate, a comparison should be made of actual emissions and authorised emission limits.

If any information is considered commercially confidential, it should be separated from non-confidential information, supplied on a separate sheet and accompanied by an application for commercial confidentiality under the provisions of the EP Regulations.

### Part A

Permit Number	
Name of operator	
Location of Facility	
Time and date of the detection	

**(a) Notification requirements for any malfunction, breakdown or failure of equipment or techniques, accident, or emission of a substance not controlled by an emission limit which has caused, is causing or may cause significant pollution**

**To be notified within 24 hours of detection**

Date and Time of the event	
Reference or description of the location of the event	
Description of where any release into the environment took place	
Substances(s) potentially released	
Best estimate of the quantity or rate of release of substances	
Measures taken, or intended to be taken, to stop any emission	
Description of the failure or accident.	

<b>(b) Notification requirements for the breach of a limit</b>	
<b>To be notified within 24 hours of detection unless otherwise specified below</b>	
Emission point reference/ source	
Parameter(s)	
Limit	
Measured value and uncertainty	
Date and time of monitoring	
Measures taken, or intended to be taken, to stop the emission	

<b>Time periods for notification following detection of a breach of a limit</b>	
<b>Parameter</b>	<b>Notification period</b>

<b>(c) Notification requirements for the detection of any significant adverse environmental effect</b>	
<b>To be notified within 24 hours of detection</b>	
Description of where the effect on the environment was detected	
Substances(s) detected	
Concentrations of substances detected	
Date of monitoring/sampling	

### Part B to be supplied as soon as practicable

Any more accurate information on the matters for notification under Part A.	
Measures taken, or intended to be taken, to prevent a recurrence of the incident	
Measures taken, or intended to be taken, to rectify, limit or prevent any pollution of the environment which has been or may be caused by the emission	
The dates of any unauthorised emissions from the facility in the preceding 24 months.	

<b>Name*</b>	
<b>Post</b>	
<b>Signature</b>	
<b>Date</b>	

\* authorised to sign on behalf of the operator

## Schedule 6 - Interpretation

“*accident*” means an accident that may result in pollution.

“*annually*” means once every year.

“*application*” means the application for this permit, together with any additional information supplied by the operator as part of the application and any response to a notice served under Schedule 5 to the EP Regulations.

“*authorised officer*” means any person authorised by the Environment Agency under section 108(1) of The Environment Act 1995 to exercise, in accordance with the terms of any such authorisation, any power specified in section 108(4) of that Act.

“*Background concentration*” means such concentration of that substance as is present in:

- For emissions to surface water, the surface water quality up-gradient of the site; or
- For emissions to sewer, the surface water quality up-gradient of the sewage treatment works discharge; or
- For emissions of landfill gas, the ground or air outside the site and not attributable to the site.

“*Cell layout drawing*” means:

(a) A drawing or drawings of the proposed new cell that illustrate(s) in sufficient detail:

- i. the location of the new cell on the site;
- ii. the proposed level (Above Ordnance Datum) of the base of the excavation;
- iii. the proposed finished levels of all containment and leachate drainage layers;
- iv. the positions of leachate management infrastructure; and
- v. the positions of landfill gas infrastructure (if appropriate).

(b) A detailed written explanation of any minor design changes from the most recently approved cell that result from the new cell layout. This would include, for example:

- i. changes to slope length and gradient within the cell;
- ii. new leachate or landfill gas infrastructure construction design;
- iii. slope stability issues such as new basal excavation level; and/or
- iv. depth of waste.

“*Construction Proposals*” means written information, at a level of detail appropriate to the complexity and pollution risk, on the design, specifications of materials selected, stability assessment (where relevant) and the construction quality assurance (CQA) programme in relation to the New Cell or Landfill Infrastructure.

“*CQA Validation Report*” means the final “as built” construction and engineering details of the New Cell or of the Landfill Infrastructure. It must provide a comprehensive record of the construction and must include, where relevant:

- The results of all testing required by the CQA programme - this must include the records of any failed tests with a written explanation, details of the remedial action taken, referenced to the appropriate secondary testing;
- Plans showing the location of all tests;

- “As-built” plans and sections of the works;
- Copies of the site engineer’s daily records;
- Records of any problems or non-compliances and the solution applied;
- Any other site specific information considered relevant to proving the integrity of the New Cell or Landfill Infrastructure;
- Validation by a qualified person that all of the construction has been carried out in accordance with the Construction Proposals.

“emissions to land” includes emissions to groundwater.

“EP Regulations” means The Environmental Permitting (England and Wales) Regulations 2010, SI 2010 No.675. Words and expressions used in this permit which are also used in those Regulations have the same meanings as in those Regulations.

“emissions of substances not controlled by emission limits” means emissions of substances to air, water or land from the activities, either from the emission points specified in schedule 3 or from other localised or diffuse sources, which are not controlled by an emission or background concentration limit.

“exceeded” means that a value is above a permitted limit, or where a range of values or a minimum value is set as a permitted limit it means a value outside that range or below the minimum value, whichever is applicable.

“Hazardous substances” as defined by the Environmental Permitting (England and Wales) Regulations 2010, SI 2010 No.675, schedule 22 and listed in our Hydrogeological risk assessment guidance, annex J to our H1 risk assessment guidance.

“Landfill Infrastructure” means any specified element of the:

- permanent capping;
- temporary capping (i.e. engineered temporary caps not cover materials);
- leachate abstraction systems;
- leachate transfer, treatment and storage systems;
- surface water drainage systems;
- leachate monitoring wells;
- groundwater monitoring boreholes;
- landfill gas monitoring boreholes;
- landfill gas management systems;
- lining within the installation.

within the site.

“Liquids” means any liquid other than leachate within the engineered landfill containment system.

“LFTGN 05” means Environment Agency Guidance for monitoring enclosed landfill gas flares.

“LFTGN 07” means Environment Agency Guidance on monitoring landfill gas surface emissions.

“LFTGN 08” means Environment Agency Guidance for monitoring landfill gas engines.

“*groundwater*” means all water, which is below the surface of the ground in the saturation zone and in direct contact with the ground or subsoil.

“*inert waste*” means waste that does not undergo any significant physical, chemical or biological transformations. Inert waste will not dissolve, burn or otherwise physically or chemically react, biodegrade or adversely affect other matter with which it comes into contact in a way likely to give rise to environmental pollution or harm human health. The total leachability and pollutant content of the waste and the ecotoxicity of the leachate must be insignificant, and in particular not endanger the quality of surface water and/or groundwater

“*Medicinal product*” means any medicine licensed by the Medicines and Healthcare products Regulatory Agency (MHRA) or their predecessors under the Medicines Act 1968, section 130.

“*M2*” means Environment Agency Guidance Monitoring of stack emissions to air.

“*New Cell*” means any new cell, part of a cell or other similar new area of the site where waste deposit is to commence after issue of this permit and can comprise:

- groundwater under-drainage system;
- permanent geophysical leak location system;
- leak detection layer;
- sub-grade;
- barriers;
- liners;
- leachate collection system;
- leachate abstraction system;
- separation bund/layer;
- cell or area surface water drainage system;
- side wall subgrade and containment systems;

for the New Cell.

“*MEPP*” Monitoring and extraction point plan, required by condition 4.2.2(h) to specify extraction points and routine monitoring locations.

“*MCERTS*” means the Environment Agency’s Monitoring Certification Scheme.

“*No impact*” means that the change made to the construction process will not affect the agreed design criteria, specification or performance in a way that has a negative effect.

“*Pests*” means Birds, Vermin and Insects.

“*Previous year*” means the 12 month period preceding the month the annual report is submitted in.

“*quarter*” means a calendar year quarter commencing on 1 January, 1 April, 1 July or 1 October.

“*Relevant waste acceptance procedures*” means the procedure for the acceptance of waste at landfills and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

*“Relevant waste acceptance criteria”* means the waste acceptance criteria and the associated sampling and test methods specified in the Council Decision Annex (2003/33/EC, European Council of 19 December 2002).

*“Review of the Hydrogeological Risk Assessment”* means a written review of the hydrogeological risk assessment included in the Application, together with any other parts of the Application that addressed the requirements of the EP Regulations. The review shall assess whether the activities of disposal or tipping for the purpose of disposal of waste authorised by the permit continue to meet the requirements of the EP Regulations.


*“Waste code”* means the six digit code referable to a type of waste in accordance with the List of Wastes (England) Regulations 2005, or List of Wastes (Wales) Regulations 2005, as appropriate, and in relation to hazardous waste, includes the asterisk.

Where a minimum limit is set for any emission parameter, for example pH, reference to exceeding the limit shall mean that the parameter shall not be less than that limit.

Unless otherwise stated, any references in this permit to concentrations of substances in emissions into air means the standards included in Environment Agency Guidance for Monitoring Enclosed Landfill Gas Flares LFTGN 05 or Guidance for Monitoring Landfill Gas Engine Emissions LFTGN 08.



# Schedule 7 – Site Plan



Location Plan

END OF PERMIT.